AL/2021(2022)/09/E-I

000	9 கிறை மூகிப்சி (முழுப் பதிப்புரிமையுடையது/All Rights Reserved]
ଷ୍ଠ ଓ ଭୁର୍ବ୍ଦା ପ୍ରତ୍ର ଭୁର୍ବ୍ଦା	மை விலா ஜோப்மாசிக்கும் டூ மேல ஜீஸ்டி எரப்பாகும் கொலிக்காம் இருந்து குகுப்பில் குகுப்ப குகிப்பில் குகுபில் குகுப்பில் குகுப்பில் குகுப்பில் குகுப்பில் குகுப்பில் குகுபில் குகுபில் குகுபில் குகுபில் க குகிப்பில் குகுபில் குகுப்பில் குகுபில் குகுப்பில் குகுப்பில் குகுப்பில் குகுப்பில் குகுபில் குகுப்பில் குகு கு குகிப்பிடல் குகுக்குப்பில் குகைக்குப்பில் குகுப்பில் குகுபில் குகுப்பில் குகுபில் குகைக் குகைக்கு குகுக்குக்கு குகிப்பில் குக்குப்பில் குகைக்குப்பில் குகுக்குப்பில் குகுபில் குகிக்குப்பில் குகிக்குக்கு குகுபில் குகு குகைக்கு
4	අධානයන පොදු සහතික පතු (උසස් පෙළ) විහාගය, 2021(2022) கல்விப் பொதுத் தராதரப் பத்திர (உயர் தர)ப் பரீட்சை, 2021(2022) General Certificate of Education (Adv. Level) Examination, 2021(2022)
2	ப் திரம்ப பிறியல் பிறியில் பிறியில பிறியில் பிறியில் பிற பிறியில் பிறியில் பிறுயில் பிறு பிறியில் பிறுமில் பிறுமில் பிறுமையில் பிறுமையில் பிறுமையில் பிறுமையில் பிற பிறுமில் பிறுமில் பிறுமில் பிறுமில் பிறுமில் பிறுமில் பிறுமில் பிறுமில் பிறுமில் பிறுமில் பிறுமையில் பிறுமையில் ப பிறுமில் பிறுமில் பிறுமில் பிறுமில் பிறுமில் பிறுமில் பிறுமில் பிறுமில் பிறுமில் பிறுமில் பிறுமையில் பிறுமையில் ப பிறும
* * *	 structions: Answer all questions. Write your Index Number in the space provided in the answer sheet. Instructions are given on the back of the answer sheet. Follow them carefully. In each of the questions from 1 to 50, pick one of the alternatives from (1), (2), (3), (4), (5) which is correct or most appropriate and mark your response on the answer sheet with a cross (×) on the number of the correct option in accordance with the instructions given on the back of the answer sheet.
1.	Which of the following is a non-reducing sugar? (1) Ribose (2) Lactose (3) Maltose (4) Galactose (5) Sucrose
2.	 Which of the following statements regarding plasma membrane is correct? (1) It is mainly composed of carbohydrates, phospholipids and proteins. (2) Phospholipid molecules are movable and provide a fluid nature to the membrane. (3) Peripheral proteins are tightly attached to the outer surface of the membrane. (4) Phospholipid bilayer enables nearby cells to communicate with each other. (5) Hydrophobic tails of phospholipids attach to cytoskeletal fibers and help to maintain the shape of the cell.
3.	 Select the correct 'subcellular component - function' combination. (1) Glyoxysomes - Transport of residue materials out of the cell (2) Smooth endoplasmic reticulum - Production of transport vesicles (3) Rough endoplasmic reticulum - Metabolism of carbohydrates (4) Nucleus - Synthesis of glycoproteins (5) Peroxisomes - Photorespiration
4.	 Four events of meiosis are given below. A - Centrosomes move towards opposite poles forming spindle. B - Formation of synaptonemal complex C - Pairs of homologous chromosomes arrange on metaphase plate. D - Crossing over of chromatids Which one of the following is the correct sequence of occurrence of above events? (1) A, B, D, C (2) A, C, B, D (3) B, C, A, D (4) B, D, A, C (5) B, D, C, A
5.	 Which of the following statements regarding photosynthetic pigments is correct? (1) Chlorophylls absorb yellow and blue light and reflect green light. (2) Chlorophyll b prevents the formation of reactive oxidative molecules. (3) Chlorophylls and carotenoids are located on the membrane system of thylakoids. (4) Carotenoids and chlorophyll a absorb light corresponding to the same wave lengths. (5) According to action spectrum, chlorophyll b is more effective for blue and red light.

6273

ł

6.	 In the light dependant reaction of photosynthesis, (1) cyclic electron flow occurs in photosystem II. (2) both linear and cyclic electron flows produce ATP and NADPH. (3) primary electron acceptor of photosystem I reduces NADP and yields NADPH. (4) photosystem I gets electrons from splitting of water in the linear electron flow. (5) excited electrons at primary electron acceptor of photosystem I pass through an electron transport chain to photosystem II.
7.	 Which of following statements is most important in explaining the Darwin-Wallace theory? (1) Organisms acquire suitable adaptations according to the needs of the environment during their lifetime. (2) Adaptations acquired during the lifetime are passed on to the next generation. (3) Favourable characters are passed to offspring through genetic factors. (4) Each species produce more offspring than the environment can accommodate. (5) Adaptations result in changes in genetic material.
8.	 Three genera with circular chromosomes, histones associated with DNA and several kinds of RNA polymerases are respectively (1) Thermococcus, Amoeba and Methanococcus. (2) Methanococcus, Halobacteria and Nitrosomonas. (3) Anabaena, Salmonella and Obelia. (4) Halobacteria, Cycas and Nostoc. (5) Pseudomonas, Anabaena and Cycas.
9.	 Consider the statements A and B given below. A - Seedless vascular plants are evolutionarily closer to hornworts than to mosses. B - Seedless vascular plants bear spores. Which of the following is correct regarding the above statements? (1) A is correct and B is incorrect. (2) A is incorrect and B is correct. (3) Both A and B are incorrect. (4) Both A and B are correct and A is supported by B. (5) Both A and B are correct and A is not supported by B.
10.	 Four structures present in protists are as follows: A - Multicellular thallus B - Contractile vacuole C - Pellicle D - Cell wall Organisms having A, B, C and D are respectively (1) Sargassum, diatoms, Amoeba and Ulva. (2) Ulva, Euglena, Paramecium and Gelidium. (3) Gelidium, Amoeba, Ulva and diatoms. (4) Sargassum, Paramecium, Amoeba and Gelidium. (5) Ulva, Euglena, Sargassum and diatoms.
11.	 Which of the following indicate two features found in the organisms of the same phylum? A : Heart absent; endoskeleton present. B : Heart absent; jointed legs present. C : Anus absent; tentacles present around the mouth. D : Anus absent; show asexual reproduction. (1) A and B only. (2) A and C only. (3) A and D only. (4) A, B and C only. (5) A, C and D only.

AL/2021(2022)/09/E-I - 3 -12. Which of the following statements regarding companion cells is correct? (1) They are dead at maturity. (2) They help in phloem unloading. (3) They connect with adjacent cells by desmosomes. (4) They are present alongside each sieve tube element in gymnosperms and angiosperms. (5) Their cytoplasm is reduced and present as a thin layer close to the cell wall. 13. Select the correct statement regarding plant leaves. (1) Leaves are vertically arranged in some plants to capture light efficiently in low light conditions. (2) In monocot leaves, chloroplasts are more abundant in palisade mesophyll cells than in spongy mesophyll cells. (3) Angiosperms can be identified due to net-like venation of leaves. (4) Arrangement of leaves on the stem is called leaf orientation. (5) Plants inhabiting very cold environments bear smallest leaves. 14. Some events that occur at the source during phloem translocation of angiosperms according to pressure flow hypothesis are as follows. A : Flow of water into sieve tube from xylem B : Generation of positive pressure inside the sieve tube C: Reduction of water potential inside the sieve tube Correct sequence of the above events is (3) B, A and C. (1) A, B and C. (2) A, C and B. (5) C, A and B. (4) B, C and A. 15. Atmospheric air is the only source for which of the following elements required by plants? (2) Nitrogen (3) Hydrogen (4) Oxygen (5) Carbon (1) Chlorine 16. Some characteristics of two species of plants are given below. Species A : Sporophyte is dominant; gametophyte is reduced; sporophyte and gametophyte are photosynthetic and independent. Species B : Sporophyte is dominant and photosynthetic; gametophyte is reduced and partially dependent on sporophyte. Species A and B are respectively (1) Nephrolepis sp. and Selaginella sp. (2) Pogonatum sp. and Nephrolepis sp. (3) Selaginella sp. and Cycas sp. (4) Selaginella sp. and Nephrolepis sp. (5) Nephrolepis sp. and Cycas sp. 17. Release of which of the following hormones in plants is stimulated by water deficit? (2) Gibberellins (3) Abscisic acid (1) Auxins (5) Ethylene (4) Cytokinins 18. Which of the following 'tissue - location' combinations is correct regarding the human body? Location Tissue (1) Loose connective tissue Tendons Lining of the mouth (2) Adipose tissue (3) Stratified squamous epithelium Anus (4) Simple cuboidal epithelium Intestine Kidney tubules . (5) Pseudostratified epithelium 19. In which of the following, will the release of (i) result in the stimulation of (ii)? (ii) Production of gastric juice A: (i) Gastrin (ii) Secretion of gastric juice B: (i) Cholecystokinin (ii) Release of bicarbonate ions from pancreas C : (i) Secretin (3) In A and B only. (2) In C only. (1) In A only.

(4) In A and C only. (5) In B and C only.

AL/2021(2022)/09/E-I

20.	. Which of the following is most likely to happen if tricuspid valve of the human heart does not close properly?
	 (1) Right atrium will not completely empty during atrial systole. (2) Left atrium will not completely empty during atrial systole. (3) Amount of blood that flows into right atrium will be reduced. (4) Amount of blood that flows into lungs will be reduced. (5) Some amount of blood will flow into left atrium from left ventricle during ventricular systole.
21.	 In which of the following, is (ii) caused by (i) during the homeostatic control of breathing of man? A: (i) Carbon dioxide level in tissues increases. (ii) Blood pH decreases. B: (i) Medulla oblongata detects decreasing pH of cerebrospinal fluid.
	 (ii) Depth of ventilation of lungs decreases. C: (i) Sensors in aorta detects high concentration of carbon dioxide in blood. (ii) Medulla oblongata receives signals from aorta.
	(1) In A only.(2) In A and B only.(3) In A and C only.(4) In B and C only.(5) In A, B and C.
22.	 B lymphocytes of humans (1) complete the development in thymus. (2) are mainly responsible for cell mediated immunity. (3) are not involved in naturally acquired active immunity. (4) can differentiate into natural killer cells and helper cells. (5) contain antigen receptors on plasma membrane.
23.	 Excretory structures of crustaceans, annelids and flat worms are respectively (1) green glands, body surface and flame cells. (2) salt glands, body surface and nephridia. (3) green glands, nephridia and body surface. (4) salt glands, flame cells and nephridia. (5) green glands, nephridia and flame cells.
24.	 Select the correct statement regarding human brain. (1) Brain stem is developed from embryonic mid brain and hind brain. (2) Frontal lobes of the cerebral cortex contain visual sensory areas. (3) Mid brain contains the fourth ventricle of the brain. (4) Corpus callosum connects the two hemispheres of the cerebellum. (5) Thalamus regulates the sleep and awake cycles.
25.	Events that occur after the membrane potential of a neuron is changed above the threshold value are given below. A : K ⁺ channels open and K ⁺ outflow.
	 B : Na⁺ channels open and Na⁺ inflow. C : Membrane becomes repolarized. D : Membrane becomes depolarized. Select the correct sequence of above events. (1) A, D, B, C (2) B, C, A, D (3) B, D, A, C (4) C, A, D, B (5) D, B, C, A
26.	Select the response with the correct match of the hormone and its main function. (1) Adrenalin – mediates long term stress responses (2) Prolactin – stimulates milk ejection (3) Melatonin – regulates innate immunity (4) Thyroxin – increases metabolic rate (5) LH – stimulates spermatogenesis

27.	In women, meiotic division of the secondary oocyte released at ovulation is arrested at (1) prophase I. (2) metaphase I. (3) prophase II. (4) metaphase II. (5) anaphase I.
28.	 In human development, amnion produces hCG. becomes the main fetal portion of placenta. protects the fetus from mother's immune responses. entirely surrounds the embryo. serves as the source of primodial germ cells in the developing gonads of the fetus.
29.	 After birth, anteriorly convex curvatures of the vertebral column of humans are developed in the (1) thoracic and sacral regions. (2) thoracic and lumbar regions. (3) cervical and lumbar regions. (4) cervical and sacral regions. (5) lumbar and sacral regions.
30.	 Select the correct statement regarding human skeleton. (1) Articulation of axis vertebra with the occipital bone permits nodding movements of the head. (2) All carpel bones in the upper limb contribute to form the wrist joint. (3) Osteoarthritis is a condition associated with reduction in bone density. (4) Patella articulates with the lower end of femur. (5) Maxilla is the only movable bone in the skull.
31.	 Certain plants of a particular species bear purple flowers while other plants of the same species bear white flowers. To explain the inheritance of the flower colour of this plant species (1) a monohybrid cross is sufficient. (2) a dihybrid cross is sufficient. (3) a monohybrid cross and a dihybrid cross are necessary. (4) knowledge of incomplete dominance is necessary. (5) knowledge of gene linkage is necessary.
32.	 Non coding sequences and DNA segments without any identified function in the chromosomes of eukaryotes are respectively (1) heterochromatin and introns. (2) introns and intergenic DNA. (3) heterochromatin and intergenic DNA. (4) euchromatin and intergenic DNA. (5) euchromatin and intergenic DNA.
33.	 Select the correct statement regarding the synthesis of polypeptides. (1) Except for having U in mRNA instead of T in DNA, the base sequences of DNA template and its mRNA molecule are similar. (2) An mRNA molecule of a prokaryote cannot code a polypeptide in an eukaryote. (3) Start codon of an mRNA molecule is AUG and it provides the code for methionine. (4) There are 64 codons and 62 of them provide codes for amino acids. (5) The first triplet of bases in a tRNA molecule is AUG.
34.	 Restriction maps are mostly important in (1) identifying multiple copies of genes in a genome. (2) determining evolutionary relationships of different species. (3) constructing cloning vectors. (4) diagnosing cancers. (5) paternity testing. More Past Papers at tamilguru.lk
35.	Three animals that live in tundra are(1) caribou, wolf and bear.(2) siberian tiger, fox and brown bear.(3) reindeer, tiger and moose.(4) reindeer, siberian tiger and bear.(5) musk oxen, fox and moose.

36.	 36. Select the response that indicates a relict species and a species endemic to Sri Lanka respectively. (1) Acanthus ilicifolius and Dipterocarpus zeylanicus (2) Panicum maximum and Garcinia quaesita (3) Ichthyophis sp. and Salacia reticulata (4) Crudia zeylanica and Puntius nigrofasciatus 									
	(4) Cruad Leyanica and Fundas migrojasciatus (5) Lingula sp. and Loris tardigradus									
37.	 (5) Lingula sp. and Loris tardigradus 37. Three gases that contribute to acid rain, global warming and ozone layer depletion are respectively carbon dioxide, perfluorocarbon and helene. sulphur dioxide, hydrofluorocarbon and methyl bromide (MeBr). nitrous oxide, methane and carbon monoxide. nitric oxide, helene and chlorofluorocarbon. nitrogen dioxide, sulphur hexafluoride and methane. 									
38.	Which of the (1) Rifampin	following antibi (2) Dapto		•	DNA/RNA in bacteria? () Erythromycin (5) Tetracycline					
39.	 39. Which of the following statements regarding microorganisms is correct? (1) Pathogenic fungi in a rhizosphere obtain nutrients from compounds exuded from plant roots. (2) Some bacteria secrete alkaline compounds that contribute to release of phosphorus to soil solution. (3) Actinomycetes carry out composting more efficiently under anaerobic conditions. (4) Rhizobia form symbiotic associations with both leguminous plants and Azolla. (5) Vitamin C can be produced by Azotobacter spp. 									
40.	 40. Which of the following is a step in the primary treatment of purification of industrial waste water? (1) Spraying over a bed of rocky material (2) Removal of oil and grease (3) Mechanical aeration (4) Anaerobic decomposition (5) Disinfection 									
		-			esponses is/are correct. Decide which					
	response/respon									
					(1)					
	-	ir any other rea	-	s summarised	ponses is correct (5)					
	.(1)	(2)	(3)	(4)	(5)					
	(A), (B), (D)	(A), (C), (D)	(A), (B)	(C), (D)	Any other response or					
	correct.	correct.	correct.	correct.	combination of responses correct.					
41.	 41. Which of the following is/are common to both ethyl alcohol fermentation and lactic acid fermentation? (A) One molecule of glucose is converted to two molecules of pyruvate. (B) Two molecules of ATP and two molecules of NADH are released. (C) NADH is used to reduce acetaldehyde. (D) Final hydrogen acceptor is an organic compound. (E) One molecule of carbon dioxide is released. 									
42.	During the prin (A) root apical	• •		to both sides.						

- (B) the cells produced outward by the root apical meristem form root cap.
- (C) vascular tissues are produced by vascular cambium.
- (D) some cells produced outward by the root apical meristem elongate and push the root through soil.
- (E) epidermis splits due to being pushed outward.

1	
43.	Which of the following statements is/are correct regarding blood circulation of vertebrates? (A) Animals with single circulation do not have lungs.
	(B) In single circulation, blood flows from respiratory organs to other organs under a reduced pressure.
	(C) Animals with single circulation have two or three chambers in the heart.(D) In double circulation, blood flows through lungs twice during a complete circulation through the body.
	(E) Myoglobin is not present in the muscles of animals having a single circulation.
44.	 Sensory receptors (A) are connected with the nervous system. (B) include specialized glands designed to receive specific stimuli. (C) show sensory adaptation. (D) can amplify the sensory signal. (E) detect the stimuli that arise only in the external environment.
45.	 Leydig cells (A) secrete testosterone. (B) produce the fluid required for transport of sperm. (C) nourish the cells in different stages of spermatogenesis. (D) are located in the connective tissue among seminiferous tubules. (E) provide attachment for cells in different stages of spermatogenesis.
46.	 Which of the following could be the reason/reasons for cystic fibrosis? (A) Y-linked inheritance (B) X-linked recessive inheritance (C) Pleiotropy (D) Autosomal recessive inheritance (E) Autosomal dominant inheritance
	 Which of the following ecological pyramids could be inverted? (A) Pyramid of biomass in a forest (B) Pyramid of numbers in the ocean (C) Pyramid of biomass in the ocean (D) Pyramid of numbers in a parasitic system (E) Pyramid of biomass in a parasitic system
48.	Select the response/responses with the correct match of feature and example of microorganisms.(A) Icosahedron symmetry- Adeno virus(B) Obligate aerobic respiration- Clostridium sp.(C) Reproduce in leaf hoppers and plants- Phytoplasma(D) Reproduce by budding and binary fission- Mycoplasma(E) Photoheterotrophic nutrition- Purple sulphur bacteria
49.	 Stem cells (A) can give rise to cells of the same type. (B) can divide without a limit. (C) are of three types. (D) are undifferentiated cells. (E) divide rapidly.
50.	 Which of the following could be used to control dengue vector as well as filaria vector? (A) Construction of buildings without roof gutters (B) Mosquito proofing of domestic wells (C) Preventing creation of vector breeding sites (D) Use of fish that feed on mosquito larvae (E) Repairing broken septic tanks

AL/2021(2022)/09/E-II

கீகஜ ல கிலைச் ஷூகேல் (முழுப் பதிப்புரிமையுடையது/All Rights Reserved]

අධායන පො	ப் இல்லுக்கும் இலைக்குவில் குழுத்துக்குக்குக்குக்கும் கலைக்களம் இலங்கைப் பரடனத் தினைக்களம் பாதின் திலைக்குவில் இலங்கைப் பரடனத் தினைக்களம் இலங்கைப் பரடனத் தினைக்களம் at of இலியினத் Shill பல் குழைக்குக்குக்குக்குக்குக்கு குழைக்குக்கு இலங்கைப் பரடனத் தினைக்களம் மா of இலியினத் Shill பல் குழுதுக்குக்குக்குக்குக்குக்கு இலங்கைப் பரடனத் தினைக்களம் பருது கல் கிலைக்குளில் இலங்கிய நிறைக்குக்குக்குக்கு இலங்கைப் பரடனத் தினைக்களம் பேறு கல் குழுது இலங்கைக்குக்குக்கு குழுது தினைக்களம் இலங்கைப் பரடனத் தினைக்களம் இலங்கைக் பரடனத் தினைக்களம் இலங்கைப் பரடனத் தினைக்களம் இலங்கைக்குக்குக்களம் இலங்கைப் பரடனத் தினைக்களம்				
கல்விப் பொது	த் தராதரப் பத்திர (உயர் தர)ப் பரீட்சை, 2021(2022) ate of Education (Adv. Level) Examination, 2021(2022)				
ජීව විදනාව II யிரியல் II Biology II	09EII				
சாக ಭ ಶಾಚಿ மூன்று மணித்தியாலம் Three hours	අමතර කියවීම් කාලය - මිනිත්තු 10 යි மேலதிக வாசிப்பு நேரம் - 10 நிமிடங்கள் Additional Reading Time - 10 minutes				
	go through the question paper, select the questions you will answer and decide which of them you will prioritise.				
	Index No. :				
Instructions:					
* This question pap	per consists of 10 questions in 10 pages.				

* This question paper comprises Part A and Part B. The time allotted for both parts is three hours.

PART A – Structured Essay (Pages 2-9)

- * Answer all four questions on this paper itself.
- * Write your answers in the space provided for each question. Note that the space provided is sufficient for your answers and extensive answers are not expected.

PART B – Essay (Page 10)

* Answer four questions only. Use the papers supplied for this purpose. At the end of the time allotted for this paper, before handing over to the supervisor tie the two parts together so that Part A is on the top of Part B.

* You are permitted to remove only Part B of the question paper from the examination hall.

Part	Question No.	Marks	Total
	1		In Numbers
A	2		In Letters
л	3		In Numbers
	4		Marking Examiner 1
	5		Marking Examiner 2
	6		Marks checked by
B	7		Supervised by
IJ	8		· · · · · · · · · · · · · · · · · · ·
	9		
	10		· ·
	10 Total		

For Examiners' Use Only

/2021/2022\/00/E_TT

- 2 -	
-------	--

l. (A)		(Each question carries 100 marks.)	in this column
	(i)	About how many years ago did life originate on earth?	
	(ii)	Metabolism, growth and development are some characteristics of organisms. What is meant by each of them?	
		(a) Metabolism :	
		(b) Growth :	
		(c) Development :	
	(iii)	(a) State the three main methods by which food production can be sustainably maintained.	
		·······	

		(b) What mainly contributes for overuse of natural resources of earth?	
		(b) what manny contributes for overtise of natural resources of earth?	
	(iv)	In which geological eon, did the concentration of oxygen in earth's atmosphere start to increase?	
	(v)	Name the eras in which each of the following took place.	
		(a) Colonization of land by plants :	
		(b) Dominance of gymnosperms :	
		(c) Appearance of first seed plants :	
(B)	(i)	What is known as classification of organisms?	
	(ii)	What are the important criteria used in modern systematics?	
		······	
		······································	

...

Index No.:


	(iii)	State four structural features that can be seen only in arthropods.	Do not write in this column	6770
	(iv)	State three structural features unique to class Mammalia.		
	(v)	What is the main physiological feature common to birds and mammals?		
(C)	(i)	State the phylum of seedless plants that has a more recent common ancestor with seed plants and name a genus that belongs to this phylum.		
		 (a) Phylum :		
	(ii)	State two features of microphylls that can be used to distinguish them from megaphylls.		
	(iii)	State a structure common to sporophytes of bryophytes and angiosperms other than sub cellular components, cells, stems and leaves.		
	(iv)	What is the structural feature used to divide plants into two major groups?		
	(v)	State the cell wall composition of organisms belonging to each of the following domains.		
		(a) Bacteria :(b) Archaea :	\cap	
		(c) Eukarya :	100	
2. (A)	(i)	(a) What is the property of water that helps in transporting dissolved minerals through vascular tissues in plants?		
		(b) Name a protein that has a defensive role in man.		
		(c) Name the monomer of a polysaccharide, which is a component of the fungal cell wall.		
	(ii)	State an event that occurs in mitosis and meiosis II, but does not occur in meiosis I of the eukaryotic cell cycle.		
		[see pa	ige four	

	`.	<i>,</i>		
	(iii)	(a)	State where CO ₂ is first fixed in C4 plants.	Do not write in this column
		(b)	Give two reasons for PEP carboxylase enzyme in C4 pathway of photosynthesis being more efficient than RuBP carboxylase enzyme in C3 pathway.	
	(iv)	(a)	What is known as secondary growth in plants?	
		(h)	State two factors that are managined for any ing of stampts other than light	
		(0)	State two factors that are responsible for opening of stomata other than light.	
		ഹ	What is the special feature of soil in which Nepenthes is grown?	
		(0)	what is the special realtie of son in which heperimes is grown:	
	(v)	(a)	What happens to the triploid nucleus formed after double fertilization in angiosperms?	
		(b)	State the specific location of statoliths in plants.	
			• •	
(B)	(i)	(a)	State the protein-carbohydrate complex found in the matrix of cartilage tissue and name the type of cells that secretes it.	
			Protein-carbohydrate complex :	
			Type of cells :	
		(b)	State a major function of cartilage tissue other than providing support.	
	(ii)	Wha	at is known as each of the following?	
		(a)	Protein sparing :	
		(b)	Non-essential fatty acids :	
		(c)	Balanced diet :	
				:
	(iii)	Nan	ne two non-essential amino acids.	:
		•••••	,	
			Moro Past Papars at	•
			More Past Papers at	
			tamilguru.lk	
)

	(iv)	What is the normal value of each of the following in a healthy adult person?	Do not write in this
		(a) Blood pH :	column
		(b) Life span of erythrocytes :	
		(c) Blood pressure at rest :	
	(v)	What is known by each of the following?	
		(a) Cardiac cycle :	-
			1
		(b) Hypertension :	
	(1)		
(C)	(1)	(a) What is known as anatomical dead space?	
		(b) What is the volume of the anatomical dead space of a normal healthy adult person?	
	<i>(</i> ••)		
	(11)	State how the coordination through nervous system is faster when compared with coordination through the endocrine system.	
	(iii)		
		(b) State two differences between sympathetic and parasympathetic divisions of the	
		autonomic nervous system.	
		Sympathetic division Parasympathetic division	

		•••••	
	(iv)	Name the disease that causes severe mental deterioration characterized by confusion and memory loss in man.	
	693	(a) State an advantage of binocular vision.	
	(7)		
		······································	
		(1) What is the function of the Eucleshies tube?	1/
		(b) What is the function of the Eustachian tube?	$\left \left(\right. \right)$
		(b) What is the function of the Eustachian tube?	

3. (A)	(i)	Nan	ne a phylum that contains animals with hydrostatic skeleton.	Do not write in this column
	(ii)		State one function of each of the following in the human skull. Fontanelles :	
			Sutures :	
			Which human vertebrae contain a foramen in each transverse process?	
			Give two examples for hinge joints found in the human lower limb.	
		(0)	Give two examples for minge joints found in the numan fower mino.	
	(iii)		e a group of animals which possesses salt glands for excretion.	
	(iv)	(a)	Name two substances that are secreted by the distal convoluted tubule of human nephron.	
		(b)	State the two sites of action of ADH in the human kidney.	
	(v)	State	e the roles of helper T cells in immunity.	
	(')			
		•••••		
(B)	(i)	Wha	t is the reason for developing Type I diabetes in man?	
	(ii)		struct a flow chart to show the feedback mechanism related to the action of ocin on mammary glands of humans.	
	·			
			·	
	(iii)	State	two advantages of asexual reproduction seen among invertebrates.	
				.]



[see page eight

	(v)	(a) State two differences between sub-unit vaccines and live attenuated vaccines.	
		(b) State in correct sequence, the two steps in the production of vinegar using fruit juice and name one species of microorganisms used in each of these steps.	
		Step Microorganism species	
		(1)	<u>₀</u> ,∥
		(2)	2
4. (A)	(i)	What are the two types of signals that are responsible for epigenetics?	
	(ii)	State a major function of signal peptides present in certain polypeptides.	
	(iii)	Identify the molecule given in the diagram and name the parts labelled as P and Q.	
		$\begin{array}{c} OH\\ 3' \end{array} \qquad \qquad Molecule : \dots \end{array}$	
		= - P	
	(1V)	What is the property of the genetic code that allows a gene isolated from one organism expressing the same polypeptide when inserted into another organism?	
	(v)	State two methods used to introduce a foreign DNA molecule into a plant cell.	
		,	
(B)	(i)	Name the three biomes that are located closest to the equator.	
		·····	
	(ii)	(a) State the two dominant vegetation types in villus.	
		(b) State two locations in Sri Lanka where villus are common.	

[see page nine

(iii)	What is meant by each of the following?	Do no write
	(a) Population :	in this colum
	(b) Trophic level:	
	(c) Food chain :	
	······································	
(iv)	(a) Name two invasive alien plants found in the reservoirs of Sri Lanka.	
	(b) Name two common sea grass genera in Sri Lanka.	
(v)	Why are coral reefs considered as rain forests of the sea?	
(C) (i)	State five important environmental services provided by biodiversity.	
	,	
(ii)	State five human activities that contribute to desertification.	
	· · · · · · · · · · · · · · · · · · ·	
	· · · · · · · · · · · · · · · · · · ·	
(iii)	(a) Many legislations and policies are formulated by the Sri Lankan government for environmental conservation. What is meant by a legislation and a policy?	
	Legislation :	
	~ 	
	Policy :	
	·	
	(b) State a key legislation available in Sri Lanka for environmental conservation.	
	·····	
(iv)	State the main concept on which tissue culture is based.	
(v)	How does addition of sugar preserve food?	100

AL/2021(2022)/09/E-II

i

l

) 2

සිබලු ම හිමිකම් ඇට්ටිණි/(ආශුඩ	் பதிப்புரிமையுடையது /All ,	Rights Reserved]
-------------------------------	-----------------------------	------------------

ർമുള് ക്രത്ത് പോറമ്പ് (ഗ്രവ്ലാ വള്വാവുണ്ടത്തെന്നുംബംബും/All Kights Reserved)								
இ குண சிலை கூருப்சைக்கியதே இ குடைகிலை கேறப்சுக்குக்கு இருக்கும் கால குறைப்படி இருண்டுக்காம் இருவ்கள்களும் இருவை கருப்சுக்கில் இலங்கைப் பரிடலாத் திணைக்களம் இலங்கைப் பரிகளில் இருவிக்கும் இருவிக்குள் இருவிகள்கள் இருவகைகள் இருவகைக்களம் Department of Examinations, Sri Lanka Department of இரையின்கள் இருவிக்குள்ளது. Sri Lanka Department of Examinations, Sri Lanka இருவிக்கு கால								
අධාපයන පොදු සහතික පතු (උසස් පෙළ) විභාගය, 2021(2022) கல்விப் பொதுத் தராதரப் பத்திர (உயர் தர)ப் பரீட்சை, 2021(2022)								
General Certificate of Éducation (Adv. Level) Examination, 2021(2022)								
Part B - Essay								
Instructions:								
* Answer four questions only.								
Give clear labelled diagrams where necessary. (Each question carries 150 marks.)								
(Each grossion curres 100 marks.)								
5. (a) Describe the components of nucleotides and explain how nucleotide DNA.	les form the backbone of							
(b) Describe the structure of DNA molecule according to Watson and	Crick model.							
6. Briefly describe the structure and functions of ground tissue in plants.								
7. (a) Describe the structure of human pancreas.								
(b) Explain the role of human pancreas in digestion of food.								
8. Discuss the innate immunity of the human body against pathogen invas	sions.							
9. (a) Write an account of the essential features of a cloning vector.								
(b) Briefly describe the chemical changes that take place in food during activity.	spoilage due to microbial							
10. Write short notes on the following.								
(a) Rules of nomenclature								
(b) Hardy-Weinberg equilibrium and evolution								
(c) General characteristics of a culturable fish species								
* * *								
More Past Papers at								
tamilguru.lk								
)							

ழீ ලංකා විභාග දෙපාර්තමේන්තුව இலங்கைப் பரீட்சைத் திணைக்களம்

சு.சூ.க. (டீ.சேடீ) பிலைக / க.பொ.த. (உயர் தர)ப் பரீட்சை - 2021 (2022)

විෂය අංකය பாட இலக்கம்



විෂයය பாடம்

Biology

ලකුණු දීමේ පටිපාටිය / புள்ளி வழங்கும் திட்டம்

I පතුය / பத்திரம் I

පුශ්න අංකය	පිළිතුරු අංකය								
வினா இல.	விடை இல.								
01.	5	11.	5	21.	1	31.	1	41.	1/5
02.	2	12.	2	22.	5	32.	2	42.	3
03.	2/5	13.	5	23.	5	33.	3	43.	3
04.	4	14.	5	24.	1	34.	3	44.	2
05.	3	15.	5	25.	3	35.	1	45.	5
06.	3	16.	1	26.	4	36.	5	46.	4
07.	4	17.	3	27.	4	37.	2	47.	4
08.	1	18.	3	28.	4	38.	1	48.	2 (S/E) 5 (T)
09.	5	19.	4	29.	3	39.	1	49.	1

🗘 විශේෂ උපදෙස් / ഖിசേட அறிவுறுத்தல் :

චක් පිළිතුරකට / ஒரு சரியான விடைக்கு ලකුණු 01 லැගින් / புள்ளி வீதம் இෆු ලකුණු / மொத்தப் புள்ளிகள் 1 × 50 = 50

Part A Structured Essay

Answer all questions on this paper itself (Each question carries 100 Marks)

1. (A) (i) A		ny years ago did life o billion/ (about) 3.5X10 ⁹	0	te on earth?	(1 pt)
	bolism, growt ant by each of	-	e som	e characteristics of organ	isms. What is
(b) G	etabolism rowth evelopment	taking place in a Irreversible incre	n orga ease in	tivities / catabolic and anal nism dry mass / weight (of an or at occur during the life spar	rganism)
(iii) (a)	maintained.ProductionProduction	on of high yielding var	ieties (varietie	es (of plants and animals)	ustainably (3 pts)
(b)		y contributes for over ase of (growth rate of)		natural resources of eart population	h? (1 pt)
	hich geologic: crease? Arch		tratior	n of oxygen in earth's atm	osphere start (1 pt)
(v) Name (a) (b) (c)	Colonization Dominance	which each of the follow n of land by plants of gymnosperms e of first seed plants	wing t : : :	ook place. Paleozoic Mesozoic Paleozoic	(3 pts)

Arrangement of organisms into groups based on common characteristics (1 pt)

(ii) V	What are the important criteria used in modem systematics?	
	 Sequence of bases in important genes Sequences of bases in mitochondrial DNA Sequences bases in chloroplast DNA Sequences of bases of RNA of ribosomes/ ribosomal RNA Sequences of amino acids in common proteins Molecular structure of cellular components 	
		(6 pts)
(iii)	State <u>four</u> structural features that can be seen only in arthropods.	
	 Chitinous exoskeleton/ External skeleton Jointed legs Malpighian tubules Book lungs/ tracheal system (of chitinous tubules) 	(4 pts)
(iv)	State three structural features unique to class Mammalia.	
(v)	 Differentiated teeth Hair (Muscular) diaphragm Mammary glands (a 	ny three) (3 pts)
	Endothermy	(1 pt)
(C) (i)	State the phylum of seedless plants that has a more recent commonseed plants and name a genus that belongs to this phylum.	n ancestor with
	(a)Phylum:Pterophyta(b)Genus:Nephrolepis	(1 pt) (1 pt)
(ii)	State <u>two</u> features of microphylls that can be used to distinguish the megaphylls.	em from
	• Single veined	
	• Smaller in size	(2 pts)
(iii) Sta	ate a structure common to sporophytes of bryophytes and angiosper	ns other than sub
ce	llular components, cells, stems and leaves. Stomata	(1 pt)
	Stoffian	

		(Extensive system	of) vascular tissue	(1 p
(v) St	ate	the cell wall comp	osition of organisms belonging to each of the following d	lomains.
(a))	Bacteria :	Peptidoglycan	(1 pt
(b	·	Archaea :	Proteins, Polysaccharides	(2 pts
(c))	Eukarya :	Cellulose, hemicellulose, pectin, chitin	(4 pts
			40 pts \times 2 ½ marks =	100 mark
(A)(i)	(a)	What is the prope through vascular	erty of water that helps in transporting dissolved minera tissues in plants?	ls
		Cohesive behaviou	ur/ attraction of water molecules due to hydrogen bonds	(1 p
	(b)	Name a protein th	hat has a defensive role in man.	
		Immunoglobulin		(1 p
	(c)	Name the monom wall.	ner of a polysaccharide, which is a component of the fung	gal cell
		Glucosamine		(1 p
(ii)		State an event tha of the eukaryotic	at occurs in mitosis and meiosis II, but does not occur in cell cycle.	meiosis I
		Separation	of chromatids	(1 p
(iii) (a) State where CO	O_2 is first fixed in C4 plants.	
		Mesophyll	cells	(1 p
	(b)		s for PEP carboxylase in C4 pathway of photosynthesis b an RuBP carboxylase enzyme in C3 pathway.	oeing
		• It reacts with He CO _{2.}	CO_3^{-3} rather than with CO_2 / it has higher affinity to HCO_3^{-3} the second seco	han to
		• It has no affinity	y for oxygen (O ₂)/ No photorespiration occurs.	(2 pt
			s secondary growth in plants?	

Confidential

(b) State <u>two</u> factors that are responsible for opening of stomata other than light.

- Internal clock in guard cells
- Decrease in CO₂ concentration in substomatal cavity

(2 pts)

(c)	What is the special feature	of soil i	n whic	h <i>Nepenthes</i> is grown?		
	Poor in/ low content of Nitrogen and minerals					
(v) (a)	What happens to the triplo angiosperms?	id nucle	eus for	med after double fertilization in		
	Develops into endosperm (that stores food)					
(b)	State the specific location o	f statoli	ths in	plants.		
	Within specialized/ certain c	ells in ro	oot cap	S	1 pt	
(B)(i) (a)	State the protein-carbohyd name the type of cells that		-	found in the matrix of cartilage tiss	ue and	
	Protein-carbohydrate comple Type of cells	ex	:	Chondroitin sulfate Chondrocytes	2 pts	
(b)	State a major function of c	artilage	tissue	other than providing support.		
	Providing flexibility				1 pt	
(ii) Wha	t is known as each of the fo	llowing	?			
(a)]		using pi ohydrat		o get energy when there is adequate diet	1 pt	
(b) N	Non-essential fatty acids :	Fatty a	icids th	at are synthesized within the body	1 pt	
(c) I	Salanced diet :			ng all essential nutrients (required for propriate proportions	1 pt	
	• <u>two</u> nonessential amino aci • Alanine	ds.				
	• Cysteine				2 pts	
(iv) What	is the normal value of each	of the f	ollowir	ng in a healthy adult person?		
(a) (b)	Blood pH	: 7.4	1		1 pt	
(b) (c)	Life span of erythrocytes Blood pressure at rest		•	Нg	1 pt 1 pt	
	-				-	
	• •			curs in a (complete) heartbeat ressure above normal limits	1 pt 1 pt	
(C) (i) (a)	What is known as anatomic	cal dead	space	?		
•	Volume of air in conducting				1 pt	
•	which will not contribute to	gas excł	nange (in alveoli/ lungs)	1 pt	

(b) What is the volume of the anatomical dead space of a normal healthy adult person?

 $150 \text{ mL} / 1.5 \text{ dL} / 150 \text{ cm}^3$

(ii) State how the coordination through nervous system is faster when compared with coordination through the endocrine system.

<u>Nervous system uses electrical signals</u> (which travel fast) through (interconnected) neurons while <u>endocrine system uses hormones</u> which are transported through blood (which takes a longer time)

2 pts

3 pts

1 pt

- (iii) (a) Name the <u>three</u> major functional areas of the cerebral cortex of man. Sensory areas
 Association areas
 Motor areas
 - (b) State <u>two</u> differences between sympathetic and parasympathetic division of the autonomic nervous system.

Sympathetic division	Parasympathetic Division
• Nerves exit only from the spinal cord/ as spinal nerves	Nerves exit from brain and spinal cord / as cranial and spinal nerves
 Prepare body for exciting / stress / Energy generating situation / Flight or fight 	(Promote) calming/ return to self/return to normal condition
 (Main) neurotransmitter is norepinephrine/ noradrenaline 	Neurotransmitter is acetylcholine

(both sides should be correct) any two

2 pts

1 pt

(iv) Name the disease that causes severe mental deterioration characterized by confusion and memory loss in man.

Alzheimer's disease

(v) (a) State an advantage of binocular vision.

Three-dimensional vision / judging speed / judging depth / judging distance (of an incoming object)

1 pt


(b) What is the function of the Eustachian tube?

Maintenance of air pressure on both sides of the tympanic membrane at the atmospheric level/ at the same level

1 pt 40 pts × 2 ½ marks = 100 marks

3.	(A)	(i)	Na	me a phylun	that contains animals with h	nydrostatic skeleton.	
				Annelida/ Ne	matoda		1 pt
		(ii)	(a)	State <u>one</u> f	unction of each of the following	ng in the human skull	
				Fontanelle	s: Allows compression of skul	ll at birth/ facilitates parturition	1 pt
				Sutures:	No marks		
		(b)	W	hich human v	vertebrae contain a foramen i	in each transverse process?	
				Cervi	cal vertebrae		1 pt
		(c)	Giv	e <u>two</u> examp	les for hinge joints found in t	he human lower limb.	
			•	Knee joint			
			٠	Ankle joint			
			•	joints betw	een phalanges (of toes)	(any two)	2 pts
	Ш	D N	lam	e a group of :	animals which possesses salt a	plands for excretion.	
	(**	_) 1		rine birds/ ma	-		1 pt
					-		-
	(iv) (:		Name <u>two</u> su 1ephron.	bstances that are secreted by	the distal convoluted tubule of hur	man
				• H^+ / hydr	ogen ions		
				• K^+ / potas	-		2 pts
		0	b)	State the two	sites of action of ADH in the	e human kidnev	
		U			voluted tubule	e numun kluney.	
				 Collecting 			2 pts
		(*	v)	Stale the role	es of helper T cells in immuni	ity.	
					signals to) activate cytotoxic T signals to) activate B lymphocy	cells (to kill infected cells) ytes/ B cells (to produce antibodies)	1 mta
							2 pts
	(B)	(i)	Wł	at is the reas	on for developing Type I dia	betes in man?	
			Des	struction / atta	cking of β cells in pancreas by	v (cytotoxic) T cells	1 . 4
							1 pt

(ii) Construct a flow chart to show the feedback mechanism related to the action of oxytocin on mammary glands of humans.




Correct sequence1 ptPositive feedback1pt

(iii) State two advantages of asexual reproduction seen among invertebrates.

- Only one parent is needed
- Allows rapid multiplication of individuals
- No time/ energy needed to find a mate for reproduction
- Genetically identical offspring are produced
- Offspring genetically identical to the parent is produced (any two)

2 pts


(iv) (a) Write in correct sequence, the entire process of production of sperm in man starting from spermatogonial stem cells.



(b) From which portion of the blastocyst, does the fetal portion of placenta develop in humans?

No marks

(v) (a) Indicate below, how the levels of ovarian hormones in the blood are changed during the typical 28 days reproductive cycle of a mature woman.



((b) State the actions of Depo-Provera injection in human females.	
	• <u>Thickens cervical mucus preventing sperm entry</u>	2 pts
	• <u>Makes endometrium thin preventing implantation if fertilization occurs</u>	2 pts
(C) ((i) (a) What are known as microaerophilic organisms?	
	Organisms that grow only in low oxygen concentration / oxygen levels lower than th	
	in air	1 pt
	(b) Name a microaerophilic bacterial species.	
	Lactobacillus sp.	1 pt
(ii) Why do heterocysts have thick walls?	
	To protect nitrogenase (enzyme) which is sensitive to oxygen/ to protect	
	nitrogenase from oxygen	1 pt
(ii	i) (a) State two methods where dry heat is used for sterilization of materials in a	
(II)	microbiological laboratory.	
	• Direct flaming	
	• Hot air sterilization	2 pts
	(b) State two methods of disinfection used in drinking water treatment.	
	Chlorination	
	• Use of ozone	2 pts
(:-	x) Name a function and a bactorial massion that source feed interviewtion	
(I)	<i>y</i>) Name a fungal species and a bacterial species that cause food intoxication.	1
	Fungal species : Aspergillus flavus	1 pt
	Bacterial species : <i>Staphylococcus aureus/ Clostridium botulinum</i>	1 pt
(v)) (a) State <u>two</u> differences between sub-unit vaccines and live attenuated vaccines.	
	• Subunit vaccines contain antigenic fragments (that can induce immunity) and (usual	allv)
	need booster dose/repeated vaccination	<u>un y y</u>
	• Live attenuated vaccines contain pathogenicity / virulence controlled/ (deliberately	<u>y)</u>
	weakened pathogens/ live microorganisms and booster dose/ repeated vaccination (usually) not needed/ lifelong immunity	
	(for each point feature in both vaccines should be written)	
		2 pts

(b) State in correct sequence, the <u>two</u> steps in the production of vinegar using fruit juice and name <u>one</u> species of microorganisms used in each of these steps.

Step		microorganism Species
Alcoholic fermentation / sugar \rightarrow	Ethanol	Saccharomyces cerevisiae
		2 pts
Acetic acid fermentation/Ethanol \rightarrow	Acetic acid /	
$C_2H_5OH \rightarrow CH_3COOH$		Acetobacter sp. / Gluconobacter sp.
		2 pts

40 pts × 2 ¹/₂ marks = 100 marks

4 (A) (i) What are the <u>two</u> types of signals that are responsible for epigenetics?

- Inherited signals
- Signals by environmental factors/ Environmental signals


2 pts

(ii) State a major function of signal peptides present in certain polypeptides.

Guiding the polypeptides to particular locations in cell/ guiding the polypeptides to be secreted/ Protein trafficking

1 pt

(iii) Identify the molecule given in the diagram and name the parts labelled as <u>P</u> and <u>Q</u>.



Molecule : tRNA/ Transfer RNA	
P : Amino acid arm/ Site where the amino acid attaches	1 pt
Q : Anticodon	1 pt

nism

Universality

1 pt

(v) State <u>two</u> metho	ds used to introduce a foreign DNA molecule into a plant cell	•
Using geneAgrobacter	ant virus vector / transduction e gun <i>rium</i> mediated gene transfer / Using <i>Agrobacterium</i> ation / mixing large number of copied of DNA with host cell (any two)	2 pts
(B) (i) Name the <u>thr</u>	ree biomes that are located closest to the equator.	
• Tropical	forest	
• Savanna	ı	
• Desert		3 pts
(ii) (a) State the <u>two</u> do	ominant vegetation types in villus.	
• Grasses		
• Sedges		2 pts
(b) State <u>two</u> locatio	ns in Sri Lanka where villus are common.	
• Wilpattu (na	ational park)	
Mahaweli fl	ood plains	2 pts
(iii) What is meant by	each of the following?	
(a) Population:	Group of individuals of the same species living in the same area producing fertile offspring through interbreeding)	a (and 1 pt
(b) Trophic level:	Feeding group in an ecosystem	1 pt
(c) Food chain:	(Linear) sequence of organisms through which nutrients and end	0,1
	from one trophic level to another/ next trophic level in an ecosy beginning with a primary producer	stem 1 pt
	sive alien plants found in the reservoirs of Sri Lanka.	
• Salvinia		2 4
• Water h	yacınth	2 pts
Halodul		-
Halophy	ila	2 pts

(v) Why	are coral reefs conside	ered as rain forests of the sea?	
•	High productivity		
•	High diversity of orga	anisms/ High species diversity	2 pts
(C) (i) Stat	e <u>five</u> important envir	conmental services provided by biodiversity.	
•	CO ₂ fixation/ photosy	nthesis	
•		cycles/ N ₂ cycle/ P cycle	
•	Maintaining water cyc	cle/ recycling moisture in atmosphere/ recharging groundwat	er
•	Soil formation		
•	Preventing soil erosio	on/ Protection of soil from erosion	
•	Regulating climate		
•	Water purification		
•	Pollination	(any five)	5 pts
(ii) Sta	nte <u>five</u> human activiti	es that contribute to desertification.	
•	Deforestation		
•	Overexploitation of w	vater	
•	Overexploitation of so		
•	Uncontrolled mining		
•	Excessive use of agro	chemicals	
•	Poor land managemer	nt (any five)	5 pts
(iii) (a)		nd policies are formulated by the Sri Lankan government ervation. What is meant by legislation and a policy?	for
	Legislation: (Set of a	regulations and) penalty is given when violated	1 pt
	Policy: Set of pr	actices that is followed (and no penalty when not practiced)	1 pt
(b) S	tate a key legislation a	available in Sri Lanka for environmental conservation.	
]	Flora and Fauna Protect	tion Ordinance/ FFPO/ National Environmental Act	1 pt
(iv) St	ate the main concept o	on which tissue culture is based.	
Тс	otipotent potential / Tot	ipotent / Single cell has the genetic programme to grow into a	an
			1 pt
(v) How	does addition of sugar	preserve food?	
	asso analition of sugar	Proserverouv	
D	a desain a same - 4! 4.		1 4
By pro	oducing osmotic stress	on microorganisms	1 pt

40 pts × 2 ¹/₂ marks = 100 marks

Part B - Essay

5. (a) Describe the components of nucleotides and explain how nucleotides form the backbone of DNA.

- 1. A nucleotide consists of Pentose sugar,
- 2. Nitrogenous base and
- 3. Phosphate group.

Two types of pentose sugars,

- 4. Deoxyribose and
- 5. Ribose.
- 6. In deoxyribose, one oxygen atom is less than that in ribose.

Two types of nitrogenous bases,


- 7. Purines and
- 8. Pyrimidines.
- 9. Purines have two rings and
- 10. Pyrimidines have one ring.
- 11. Pyrimidines are smaller in size (than purines)/ Purines are larger in size (than pyrimidines)

Two types of purines

- 12. Adenine /A and
- 13. Guanine /G.

Two types of pyrimidines


- 14. Thymine /T
- 15. Uracil /U and
- 16 Cytosine /C.
- 17. Nucleotides join by phosphodiester bonds and
- 18. form polynucleotide chain
- 19. by condensation between OH group of phosphate of one nucleotide with the OH group of 3rd carbon of pentose sugar of another / adjacent nucleotide.
- 20. These bonds result in a backbone with a repeating pattern of sugar-phosphate units.
- 21. Sugar (molecule) of DNA is deoxyribose.
- 22. DNA contain Adenine /A, Thymine /T, Guanine/G, and Cytosine /C.
- 23. Sugar (molecule) of RNA is ribose
- 24. RNA contain Adenine / A , Guanine / G, Cytosine / C and Uracil / U



(b) Describe the structure of DNA molecule according to Watson and Crick model.

- 1. DNA molecule consists of two polynucleotide chains
- 2. which are spirally arranged/spiral
- 3. around an imaginary axis and
- 4. forming a double helix.
- 5. Sugar-Phosphate backbones run in opposite directions
- 6. and is called antiparallel.
- 7. Sugar-Phosphate backbones are on outer side of the helix.
- 8. Nitrogenous bases are paired and
- 9. are interior (of the helix)
- 10. Two strands/chains are held (together) by hydrogen bonds
- 11. between two complementary nitrogenous bases.
- 12. Adenine / A pairs / binds with Thymine / T
- 13. Guanine/G pairs /binds with Cytosine / C
- (If written as purines pair/bind with pyrimidines, consider as one point instead of 12 and 13)
- 14. Two hydrogen bonds between Adenine /A and Thymine/T.
- 15. Three hydrogen bonds between Guanine /G and Cytosine /C.
- 16. Two chains/strands are complementary to each other.

DNA double helix



Diagrams: 03 + 03 = <u>06 marks</u> Total = <u>150 marks</u>

6. Briefly describe the structure and functions of ground tissue in plants.

Ground tissue consists of three main types of cells;

- 1. Parenchyma cells,
- 2. Collenchyma cells and
- 3. Sclerenchyma cells.
- 4. Parenchyma cells have primary cell walls,
- 5. which are thin
- 6, 7 They contain a large, central vacuole
- 8. Some contain plastids /leucoplasts/chloroplasts.
- 9. Collenchyma cells are (generally) elongated and
- 10. have primary cell walls,
- 11 which are thicker than those of parenchyma cells and
- 12 unevenly thickened.
- 13. Sclerenchyma cells have secondary cell walls,
- 14, 15. which are thickened by large amount of lignin.
- Two types of sclerenchyma cells,
- 16. sclereids and
- 17. fibers.
- 18. Sclereids are irregular in shape,
- 19, 20. shorter and wider than fibers.
- 21. Fibers are long,
- 22, 23. slender and tapered.

Functions

- 24. Fills the gap between dermal tissue and vascular tissue.
- 25, 26. Forms cortex and pith.
- 27. Photosynthesis.
- 28. Short distance transport (of substances).
- 29. Parenchyma cells carry out metabolic functions
- 30. such as synthesis of organic substances /products,
- 31. storage (of substances) and
- 32. wound repair.
- 33. Collenchyma cells provide (mechanical) support
- 34, 35. Sclerenchyma cells / sclereids / fibers provide support and strength.




Diagram of Parenchyma cells	:	6 marks
Fully labelled correct diagram	:	6 marks
Partially labelled correct diagram	:	3 marks
Unlabeled diagram	:	no marks





Diagram of Collenchyma cells	:	6 marks
Fully labelled correct diagram	:	6 marks
Partially labelled correct diagram	:	3 marks
Unlabeled diagram	:	no marks

Correct diagram of T.S. of sclereids : 2 marks


Any 34 points × 4 marks	=	136
Diagram of parenchyma cells	=	6 marks
Diagram of collenchyma cells	=	6 marks
Diagram of T.S. of sclereids	=	2 marks
Total	=	150 marks
	-	

7. (a) Describe the structure of human pancreas.

- 1. Consists of head, body and tail.
- 2. Head is broad.
- 3. Tail is narrow.
- 4. Consists of exocrine part and endocrine part.
- 5. Large number of lobules are present
- 6. in the exocrine part.
- 7. (Lobules are made up of) acini
- 8. which are (very) small.
- 9. Secretory cells are present in acini walls.
- 10. Each lobule is drained by a duct / Each lobule opens into a duct / A duct starts from a lobule.
- 11. These ducts form pancreatic duct
- 12. Common joins with (common) bile duct
- 13. forming hepatopancreatic duct
- 14. which opens to duodenum.
- 15. Islets of Langerhans are present
- 16. in the endocrine part
- 17. They consist of (group of) specialized cells.
- 18. They do not have ducts



Correct diagram of gross structure of the pancreas Fully labelled correct diagram : 7 marks (1 mark for each label) Unlabeled diagram : no marks



Correct diagram of Histological structure Fully labelled correct diagram : 3 marks (1 mark for each label)

marks

(b) Explain the role of human pancreas in digestion of food.

- 1. Exocrine part / acini / lobules secrete pancreatic juice.
- 2. It contains bicarbonate ion / HCO₃,
- 3. (Pancreatic) amylase,
- 4. (Pancreatic) lipase,
- 5. (Pancreatic) nuclease,
- 6. Chymotrypsinogen,
- 7. Trypsinogen and
- 8. Pancreatic carboxypeptidase.
- 9. (Pancreatic) amylase catalyses the conversion of / breakdown of polysaccharides to disaccharides.
- 10. (Pancreatic) lipase catalyses the conversion of / breakdown of fat / triglycerides into glycerols, fatty acids and monoglycerides.
- 11. (Pancreatic) nucleases catalyse the conversion of / breakdown of nucleic acids / DNA and RNA into nucleotides.
- 12. Chymotrypsinogen is converted to chymotrypsin and
- 13. trypsinogen is converted to trypsin.
- 14, 15. <u>Chymotrypsin</u> and trypsin catalyse the conversion of / breakdown of small polypeptides into smaller polypeptides.
- 16, 17. Pancreatic carboxypeptidase catalyses the conversion of / breakdown of smaller polypeptides into more small polypeptides / peptides and amino acids.
- 18. Bicarbonate ions neutralize chyme (received from the stomach).

18 + 18	=	36 points
Any 35 points × 4 marks	=	140 marks
Gross structure diagram	=	7 marks
Histological structure diagram	=	3 marks
Total	=	150 marks
	=	

8. Discuss the innate immunity of the human body against pathogen invasions.

Innate defense mechanisms are of two types.

- 1. External defenses /barrier defense and
- 2. Internal (nonspecific) defenses.
- 3. External defenses / barrier defenses discourage entry of pathogens and
- 4. foreign substances.
- 5. Skin / Epidermis with closely packed / keratinized cell layers
- 6. serves as a physical barrier.
- 7. Periodic shedding of epidermal cells removes microbes (from skin surface).
- 8. Mucus membranes trap microbes (and other particles)
- 9. Secretions / tears / saliva are physical barriers as well as
- 10. chemical barriers.
- 11. Washing action dilute microorganisms and
- 12. inhibit colonization / prevent settling of microbes / bacteria /fungi.
- 13. Lysozymes destroy cell walls of (some) bacteria.
- 14. Gastric juice provides acidic environment / condition and
- 15. destroys (many) bacteria / bacterial toxins.
- 16. Secretions of sweat glands / sebaceous glands provide acidity and
- 17. prevent growth of bacteria.

- 18. Internal defenses detect non self cells / foreign substances
- 19. by molecular recognition.
- 20. Phagocytic cells / neutrophils / macrophages ingest microbes /foreign particles.
- 21. Natural killer cells detect / bind with cells with abnormal surface molecules and
- 22. release chemicals to kill / destroy them.
- 23. Antimicrobial proteins attack microbes (directly) and
- 24. impede their reproduction / growth.
- 25. Interferons which are produced by virus infected cells,
- 26. stimulate uninfected (neighboring) cells to produce antiviral proteins
- 27. that inhibit replication of viruses.
- 28. (Some) interferons activate macrophages.
- 29. Complement proteins are activated by substances present on surface of microbes and
- 30. carry out / lead to lysis of invaded cells / microbes, and
- 31. promote phagocytosis and
- 32. inflammatory response.
- 33. Inflammatory response occurs due to signaling molecules (upon infections)/histamine
- 34. which increase permeability
- 35. and dilation of blood vessels.
- 36. enhancing infiltration of white blood cells / phagocytes / macrophages / neutrophils and
- 37. antimicrobial proteins to infected / injured area.
- 38. Activated complement proteins increase histamine release.
- 39. Activated phagocytes / macrophages / neutrophils release cytokinines / signaling molecules
- 40. which promote blood flow to infected / injured area.


Any 37 points × 4 marks =	148 marks
If more than 37 points written, add 2 marks =	2 marks
Total =	150 marks

9.(a) Write an account of the essential features of a cloning vector.

- 1. Ori / Origin of replication is present.
- 2. Replication initiates from Ori,
- 3. independent of chromosomal DNA.
- 4. Multiple cloning sites are present,
- 5. where the DNA to be cloned / DNA of interest / recombinant DNA molecule is inserted.
- 6. Cloning site contains sequences (of nitrogenous bases which carry sites) for many restriction enzymes
- 7. and therefore can use several restriction enzymes (to cut DNA).
- 8. Marker gene / marker is present
- 9. which helps to identify / identifies the transformed host cells.
- 10. Example: Antibiotic resistant gene
- 11. Some markers are selective markers.
- 12. They allow the growth of transformed cells only.
- 13. Example: Host cells sensitive to a particular antibiotic will not grow when that antibiotic is present (in the medium),
- 14. but transformed cell can grow (when antibiotic is present in the medium),
- 15. because the vector carries the resistant gene.

- 16. All vectors do not recombine with DNA/ gene of interest.
- 17. (Therefore) there is another marker
- 18. to distinguish (the colonies with) the vectors containing the inserted gene / inserted DNA / DNA insert (from those which do not contain that gene / DNA)

18 points



Fully labelled correct diagram : 4 marks

Partially labelled correct diagram : 2 marks

Unlabelled diagram : no marks

(b) Briefly describe the chemical changes that take place in food during spoilage due to microbial activity.

1, 2, 3. Occurs due to <u>heterotrophic bacteria</u> and <u>fungi</u> (if only microorganisms written consider as one point) that grows in food.

- 4. They secrete / release/ produce extracellular enzymes.
- 5. Putrefaction
- 6. occurs due to breaking down of proteins (in food)
- 7. by proteolytic enzymes
- 8. released / secreted / produced by proteolytic microorganisms / fungi and bacteria

9, 10. into amino acids, amines, ammonia / NH_3 and hydrogen sulphide / H_2S (Any two considered as one point).

- 11. Fermentation
- 12. occurs due to breaking down of complex carbohydrates (in food)
- 13. by amylase
- 14. into simple carbohydrates / sugars
- 15 and converting those into carbohydrate food acid, alcohol and gases
- 16. by (enzymes released by) saccharolytic microorganisms / fungi and bacteria.
- 17. Rancidity
- 18. occurs due to breaking down / conversion of lipids (in food)
- 19. into fatty acids and glycerol
- 20. by (enzymes released by) lipolytic microorganisms / fungi and bacteria.

Any 18 points	18 points + 18 points	=	36 Points
	36 points × 4 marks	=	144 marks
	If more than 37 points written, add 2 marks	=	2 marks
	Diagram	=	4 marks
	Total	=	150 marks
		-	

10. Write short notes on the following.

(a) Rules of nomenclature

- 1. Two species cannot have the same name.
- 2. Each species has a species name / scientific name
- 3. which consists of a generic name and a specific epithet.
- 4. Name is made up of Latinized words.
- 5. It is written as Roman script /English letters.
- 6. It is italicized when printed and
- 7. underlined when handwritten.
- 8. First letter of the generic name is capitalized.
- 9. Specific epithet is in simple letters.
- 10. Name of the author /person who gave the name is given at the end of the name.
- 11. and it is not Latinized and
- 12. is indicated as full word, as an abbreviation or by a capital letter (Any two).
- 13. Third word can be given /used to indicate subspecies /variety.

(b) Hardy-Weinberg equilibrium and evolution

- 1. Hardy-Weinberg equilibrium is used to assess whether a population is evolving.
- 2. with respect to a particular characteristic / genetic locus.
- 3. If not evolving (at that genetic locus) genetic make up of a trait /allele frequency / genotype frequency will remain unchanged.
- 4. Hardy-Weinberg equilibrium is applicable to a population which is not evolving,
- 5 and therefore has no mutations,
- 6. has random mating,
- 7. no natural selection,
- 8. large population
- 9. with no immigration/emigration/migration.

[Opposites of points 5 to 9 are also accepted.

For evolution to occur

- 5. there should be mutations,
- 6. non-random mating / selective mating,
- 7. natural selection,
- 8. small population,
- 9.with immigration /emigration/migration.]
- 10. Most populations deviate from Hardy-Weinberg equilibrium
- 11. except for certain genetic loci.
- 12. Slowly evolving populations do not deviate much from Hardy-Weinberg equilibrium.

(c) General characteristics of a culturable fish species

- 1. Should withstand climate in the region;
- 2. Should grow well / fast in prevailing conditions / physical and chemical parameters of water in the area;
- 3. Should be easy to breed;
- 4. Should be hardy;
- 5. Should not reproduce in grow-out ponds /tanks;
- 6. Should reach sexual maturation (relatively) late;
- 7. Should accept / feed on formulated food;
- 8. Should be an efficient converter of (economical) food;
- 9. Should not have adverse environmental impacts;
- 10. Should tolerate high population density;
- 11. Should be resistant to (common) diseases;
- 12, 13. Should <u>satisfy consumers</u>, <u>have good taste</u>, <u>good nutritive value</u>, <u>good texture of</u> <u>flesh</u>, <u>good appearance / colour</u>. (Any two considered as 1 point)

=	38 Points
=	148 marks
=_	2 marks
=	150 marks
	= =_

